

**S A SOUTHERN
5 0 AG®**



**DIPEL®
DUST**

CONTAINS DIPEL® BIOLOGICAL INSECTICIDE

ACTIVE INGREDIENT:

Bacillus thuringiensis Subsp. Kurstaki strain ABTS-351 solids, spores,
and insecticidal toxins. 0.41%

INERT INGREDIENTS: 99.59%

TOTAL 100.00%

**The percent active ingredient does not indicate product performance and potency.
DIPEL® is a Trademark of VALENT

KEEP OUT OF REACH OF CHILDREN

CAUTION

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Harmful if inhaled or absorbed through the skin. Avoid breathing dust. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

This product must not be applied within 300 feet of any habitats of endangered or threatened lepidoptera (i.e. moths or butterflies).

FIRST AID

For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have product container or label with you when calling a poison control center or doctor or going for treatment.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Pesticide should be stored in the original container in a locked storage area.

PESTICIDE DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Southern Agricultural Insecticides, Inc.

Palmetto, FL 34220 Hendersonville, NC 28793 Boone, NC 28607

EPA REG. No. 829-196 J4 **Net Weight: 4 lbs. (1.81 kg)**

DIRECTIONS FOR USE

It is a violation Federal Law to use this product in a manner inconsistent with its labeling.

Apply application rates when air is calm using a hand duster. Apply at first sign of infestation and repeat at weekly intervals as needed to maintain control. To be effective Dipel Dust must be eaten by the insect. Thorough leaf coverage, especially to the underside of the leaves is essential. Some insects stop feeding after application and appear to be unaffected for several days after application. Check foliage for signs of fresh feeding if insects appear to remain active after applying. Apply higher dosage to maturing plants. Do not exceed maximum dosage, nor use less than the lower dosage.

CROP	PEST	OZS. PER 1,500 SQ.FT.
BROCCOLI	Cabbage Looper	11 - 33
	Imported Cabbageworm	9 - 27 1/2
CABBAGE	Cabbage Looper	11 - 33
	Imported Cabbageworm	9 - 27 1/2
CAULIFLOWER	Cabbage Looper	11 - 33
	Imported Cabbageworm	9 - 27 1/2
CELERY	Cabbage Looper	11 - 33
COLLARDS	Cabbage Looper	11 - 33
	Imported Cabbageworm	9 - 27 1/2
CUCUMBERS	Cabbage Looper	9 - 27 1/2
GRAPES	Grape Leaf Folder	9 - 27 1/2
NOTE: Start treating as soon as possible after hatching and before larvae are protected by leaf folds. Apply to obtain thorough coverage of leaf surfaces.		
KALE	Cabbage Looper	11 - 33
	Imported Cabbageworm	9 - 27 1/2
LETTUCE	Cabbage Looper	11 - 33
MELONS	Cabbage Looper	9 - 27 1/2
MUSTARD GREENS	Cabbage Looper	11 - 33
	Imported Cabbageworm	9 - 27 1/2
POTATOES	Cabbage Looper	11 - 33
TOMATOES	Cabbage Looper	11 - 33
	Tomato Hornworm	9 - 27 1/2
TURNIP GREENS	Cabbage Looper	11 - 33
	Imported Cabbageworm	9 - 27 1/2

Dipel Dust may be applied at the application rates up to the day of Harvest.

The manufacturer makes no warranties, expressed or implied, concerning this product or the results obtained from its use which extend beyond the description and precautions given herewith.

For information or questions
email us at info@southernag.com

EPA EST. NO. 829-FL-1 (3); 829-NC-1 (4); 829-NC-2 (5)
Number following Est. No. corresponds to first digit in Lot No. on bottom of bag.

EPA REG. No. 829-196